

ROAA rabbit pAb

Cat No.:ES10635

For research use only

Overview

Product Name	ROAA rabbit pAb
Host species	Rabbit
Applications	WB;ELISA
Species Cross-Reactivity	Human;Mouse
Recommended dilutions	WB 1:500-2000 ELISA 1:5000-20000
Immunogen	Synthesized peptide derived from part region of
	human protein
Specificity	ROAA Polyclonal Antibody detects endogenous
	levels of protein.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and
	0.02% sodium azide.
Storage	Store at -20°C. Avoid repeated freeze-thaw cycles.
Protein Name	Heterogeneous nuclear ribonucleoprotein A/B
	(hnRNP A/B) (APOBEC1-binding protein 1) (ABBP-1)
Gene Name	HNRNPAB ABBP1 HNRPAB
Cellular localization	Nucleus . Cytoplasm . Localized in cytoplasmic mRNP
	granules containing untranslated mRNAs.
Purification	The antibody was affinity-purified from rabbit
	antiserum by affinity-chromatography using
	epitope-specific immunogen.
Clonality	Polyclonal
Concentration	1 mg/ml
Observed band	36kD
Human Gene ID	3182
Human Swiss-Prot Number	Q99729
Alternative Names	
Background	This gene belongs to the subfamily of ubiquitously
	expressed heterogeneous nuclear
	ribonucleoproteins (hnRNPs). The hnRNPs are
	produced by RNA polymerase II and are components
	of the heterogeneous nuclear RNA (hnRNA)
	complexes. They are associated with pre-mRNAs in
	the nucleus and appear to influence pre-mRNA



+86-27-59760950

ELKbio@ELKbiotech.com


www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C



processing and other aspects of mRNA metabolism and transport. While all of the hnRNPs are present in the nucleus, some seem to shuttle between the nucleus and the cytoplasm. The hnRNP proteins have distinct nucleic acid binding properties. The protein encoded by this gene, which binds to one of the components of the multiprotein editosome complex, has two repeats of quasi-RRM (RNA recognition motif) domains that bind to RNAs. Two alternatively spliced transcript variants encoding different isoforms have been described for this gene. [provided by RefSeq, Jul 2008],

Western blot analysis of lysates from U2OS cells, primary antibody was diluted at 1:1000, 4° over night





+86-27-59760950

ELKbio@ELKbiotech.com

www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C