

HES2 rabbit pAb

Cat No.:ES10672

For research use only

Overview

Product Name	HES2 rabbit pAb
Host species	Rabbit
Applications	WB;ELISA
Species Cross-Reactivity	Human;Rat;Mouse;
Recommended dilutions	WB 1:500-2000 ELISA 1:5000-20000
Immunogen	Synthesized peptide derived from human protein .
	at AA range: 40-120
Specificity	HES2 Polyclonal Antibody detects endogenous levels
	of protein.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and
	0.02% sodium azide.
Storage	Store at -20°C. Avoid repeated freeze-thaw cycles.
Protein Name	Transcription factor HES-2 (Class B basic
	helix-loop-helix protein 40) (bHLHb40) (Hairy and
	enhancer of split 2)
Gene Name	HES2 BHLHB40
Cellular localization	Nucleus .
Purification	The antibody was affinity-purified from rabbit
	antiserum by affinity-chromatography using
	epitope-specific immunogen.
Clonality	Polyclonal
Concentration	1 mg/ml
Observed band	19kD
Human Gene ID	54626
Human Swiss-Prot Number	Q9Y543
Alternative Names	
Background	domain:Has a particular type of basic domain
	(presence of a helix-interrupting proline) that binds
	to the N-box (CACNAG), rather than the canonical
	E-box (CANNTG).,domain:The C-terminal WRPW
	motif is a transcriptional repression domain
	necessary for the interaction with Groucho/TLE
	family members, transcriptional corepressors



+86-27-59760950

ELKbio@ELKbiotech.com


www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C



recruited to specific target DNA by Hairy-related proteins.,function:Transcriptional repressor of genes that require a bHLH protein for their transcription.,similarity:Contains 1 basic helix-loop-helix (bHLH) domain.,similarity:Contains 1 Orange domain.,subunit:Transcription repression requires formation of a complex with a corepressor protein of the Groucho/TLE family.,tissue specificity:Expressed in placenta, pancreatic cancer, colon cancer with RER, cervical cancer, and in head and neck tumors.,

Western blot analysis of lysates from HCT116 cells, primary antibody was diluted at 1:1000, 4° over night





+86-27-59760950

ELKbio@ELKbiotech.com

www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C