



# CARF rabbit pAb

Cat No.:ES11062

For research use only

## Overview

<b>Product Name</b>	CARF rabbit pAb
<b>Host species</b>	Rabbit
<b>Applications</b>	WB;ELISA
<b>Species Cross-Reactivity</b>	Human;Rat;Mouse
<b>Recommended dilutions</b>	WB 1:500-2000 ELISA 1:5000-20000
<b>Immunogen</b>	Synthesized peptide derived from part region of human protein
<b>Specificity</b>	CARF Polyclonal Antibody detects endogenous levels of protein.
<b>Formulation</b>	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
<b>Storage</b>	Store at -20°C. Avoid repeated freeze-thaw cycles.
<b>Protein Name</b>	CDKN2A-interacting protein (Collaborator of ARF)
<b>Gene Name</b>	CDKN2AIP CARF
<b>Cellular localization</b>	Nucleus, nucleoplasm .
<b>Purification</b>	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
<b>Clonality</b>	Polyclonal
<b>Concentration</b>	1 mg/ml
<b>Observed band</b>	63kD
<b>Human Gene ID</b>	55602
<b>Human Swiss-Prot Number</b>	Q9NXV6
<b>Alternative Names</b>	
<b>Background</b>	The protein encoded by this gene regulates the DNA damage response through several different signaling pathways. One such pathway is the p53-HDM2-p21(WAF1) pathway, which is critical to the DNA damage response. Two transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Nov 2015],

