

OR4M1 rabbit pAb

Cat No.: ES11580

For research use only

Overview

Product Name OR4M1 rabbit pAb

Host species Rabbit WB;ELISA **Applications**

Species Cross-Reactivity Human; Rat; Mouse;

Recommended dilutions WB 1:500-2000 ELISA 1:5000-20000

Immunogen Synthesized peptide derived from human protein.

at AA range: 170-250

OR4M1 Polyclonal Antibody detects endogenous Specificity

levels of protein.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and

0.02% sodium azide.

Storage Store at -20°C. Avoid repeated freeze-thaw cycles. Olfactory receptor 4M1 (Olfactory receptor OR14-7) **Protein Name**

Gene Name OR4M1

Cellular localization Cell membrane; Multi-pass membrane protein. Purification The antibody was affinity-purified from rabbit

antiserum by affinity-chromatography using

epitope-specific immunogen.

Clonality Polyclonal Concentration 1 mg/ml **Observed band** 34kD **Human Gene ID** 441670 **Human Swiss-Prot Number** Q8NGD0

Alternative Names

Background olfactory receptor family 4 subfamily M member

1(OR4M1) Homo sapiens Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of


G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many



+86-27-59760950 ELKbio@ELKbiotech.com

www.elkbiotech.com





neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. [provided by RefSeq, Jul 2008],

Western blot analysis of lysates from K562 cells, primary antibody was diluted at 1:1000, 4° over night



+86-27-59760950