

Synaptotagmin 1/2 (phospho Ser309/306) rabbit pAb

Cat No.:ES1460

For research use only

Overview

Product Name	Synaptotagmin 1/2 (phospho Ser309/306) rabbit
	pAb
Host species	Rabbit
Applications	WB;IHC;IF;ELISA
Species Cross-Reactivity	Human;Mouse;Rat
Recommended dilutions	Western Blot: 1/500 - 1/2000.
	Immunohistochemistry: 1/100 - 1/300. ELISA:
	1/10000. Not yet tested in other applications.
Immunogen	The antiserum was produced against synthesized
minunogen	peptide derived from human Synaptotagmin around
	the phosphorylation site of Ser309. AA
Creatificity	range:276-325
Specificity	Phospho-Synaptotagmin 1/2 (S309/306) Polyclonal
	Antibody detects endogenous levels of
	Synaptotagmin 1/2 protein only when
	phosphorylated at S309/306.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and
	0.02% sodium azide.
Storage	Store at -20°C. Avoid repeated freeze-thaw cycles.
Protein Name	Synaptotagmin-1/2
Gene Name	SYT1/SYT2
Cellular localization	Cytoplasmic vesicle, secretory vesicle membrane;
	Single-pass membrane protein . Cytoplasmic vesicle,
	secretory vesicle, synaptic vesicle membrane ;
	Single-pass membrane protein . Cytoplasmic vesicle,
	secretory vesicle, chromaffin granule membrane ;
	Single-pass membrane protein . Cytoplasm .
Purification	The antibody was affinity-purified from rabbit
	antiserum by affinity-chromatography using
	epitope-specific immunogen.
Clonality	Polyclonal
Concentration	1 mg/ml
+86-27-59760950	ELKbio@ELKbiotech.com www.elkbiotech.com



23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C




Observed band Human Gene ID Human Swiss-Prot Number Alternative Names


Background

47kD 6857/127833 P21579/Q8N9I0 SYT1; SVP65; SYT; Synaptotagmin-1; Synaptotagmin I; SytI; p65; SYT2; Synaptotagmin-2; Synaptotagmin II; SytII The synaptotagmins are integral membrane proteins of synaptic vesicles thought to serve as Ca(2+) sensors in the process of vesicular trafficking and exocytosis. Calcium binding to synaptotagmin-1 participates in triggering neurotransmitter release at the synapse (Fernandez-Chacon et al., 2001 [PubMed 11242035]).[supplied by OMIM, Jul 2010],

Western Blot analysis of various cells using Phospho-Synaptotagmin 1/2 (S309/306) Polyclonal Antibody



Immunohistochemical analysis of paraffin-embedded Human breast cancer. Antibody was diluted at 1:100(4° overnight). High-pressure and temperature Tris-EDTA,pH8.0 was used for antigen retrieval. Negetive contrl (right) obtaned from antibody was pre-absorbed by immunogen peptide.






+86-27-59760950

ELKbio@ELKbiotech.com

www.elkbiotech.com


23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C





Enzyme-Linked Immunosorbent Assay (Phospho-ELISA) for Immunogen Phosphopeptide (Phospho-left) and Non-Phosphopeptide (Phospho-right), using Synaptotagmin (Phospho-Ser309) Antibody

Immunohistochemistry analysis of paraffin-embedded human breast carcinoma, using Synaptotagmin (Phospho-Ser309) Antibody. The picture on the right is blocked with the phospho peptide.





+86-27-59760950

ELKbio@ELKbiotech.com

www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C