

## ARK-2 rabbit pAb

Cat No.: ES1702

For research use only

## Overview

**Immunogen** 

Product Name ARK-2 rabbit pAb

Host species Rabbit

Applications WB;IHC;IF;ELISA Species Cross-Reactivity Human;Mouse;Rat

**Recommended dilutions** Western Blot: 1/500 - 1/2000.

Immunohistochemistry: 1/100 - 1/300.

Immunofluorescence: 1/200 - 1/1000. ELISA: 1/40000. Not yet tested in other applications. The antiserum was produced against synthesized

peptide derived from human N-ternal AurB. AA

range:1-50

**Specificity** ARK-2 Polyclonal Antibody detects endogenous

levels of ARK-2 protein.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and

0.02% sodium azide.

**Storage** Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name Aurora kinase B

Gene Name AURKB

**Cellular localization** Nucleus . Chromosome . Chromosome, centromere .

Chromosome, centromere, kinetochore . Cytoplasm,

cytoskeleton, spindle. Midbody. Localizes on chromosome arms and inner centromeres from prophase through metaphase and then transferring to the spindle midzone and midbody from anaphase

through cytokinesis (PubMed:20929775).

Colocalized with gamma tubulin in the midbody (PubMed:17726514). Proper localization of the active, Thr-232-phosphorylated form during metaphase may be dependent upon interaction with SPDYC (PubMed:20605920). Colocalized with

SIRT2 during cytokinesis with the midbody (PubMed:17726514). Localization (and probably targeting of the CPC) to the inner centromere occurs



+86-27-59760950 ELKbio@ELKbiotech.com

www.elkbiotech.com



mitosis-specific histone phosphorylations H3pT3

and H2ApT12 (PubMed

**Purification** The antibody was affinity-purified from rabbit

antiserum by affinity-chromatography using

predominantly in regions with overlapping

epitope-specific immunogen.

Clonality Polyclonal
Concentration 1 mg/ml
Observed band 39kD
Human Gene ID 9212
Human Swiss-Prot Number Q96GD4

Alternative Names AURKB; AIK2; AIM1; AIRK2; ARK2; STK1; STK12;

STK5; Aurora kinase B; Aurora 1; Aurora- and IPL1-like midbody-associated protein 1; AIM-1;

Aurora/IPL1-related kinase 2; ARK-2; Aurora-related kinase 2; STK-1; Serine/threonine-protein kinase 12
This gape encodes a member of the aurora kinase

This gene encodes a member of the aurora kinase subfamily of serine/threonine kinases. The genes encoding the other two members of this subfamily are located on chromosomes 19 and 20. These kinases participate in the regulation of alignment and segregation of chromosomes during mitosis and

meiosis through association with microtubules. A pseudogene of this gene is located on chromosome 8. Alternatively spliced transcript variants have been

found for this gene. [provided by RefSeq, Sep 2015],

HepG2
(kD)
11785483426-

**Background** 


Western Blot analysis of various cells using ARK-2 Polyclonal Antibody diluted at 1:500 cells nucleus extracted by Minute TM Cytoplasmic and Nuclear Fractionation kit (SC-003,Inventbiotech,MN,USA).








Immunofluorescence analysis of HeLa cells, using AurB Antibody. The picture on the right is blocked with the synthesized peptide.



Immunohistochemistry analysis of paraffin-embedded human liver carcinoma tissue, using AurB Antibody. The picture on the right is blocked with the synthesized peptide.



Western blot analysis of lysates from HepG2, using AurB Antibody. The lane on the right is blocked with the synthesized peptide.

