

Bcl-2 rabbit pAb

Cat No.: ES1758

For research use only

Overview

Specificity

Product Name Bcl-2 rabbit pAb

Host species Rabbit

Applications WB;IHC;IF;ELISA

Species Cross-Reactivity Human; Mouse; Rat; Chicken **Recommended dilutions** Western Blot: 1/500 - 1/2000.

Immunohistochemistry: 1/100 - 1/300.

Immunofluorescence: 1/200 - 1/1000. ELISA: 1/10000. Not yet tested in other applications. The antiserum was produced against synthesized

Immunogen The antiserum was produced against synthesized peptide derived from human BCL-2. AA range:46-95

Bcl-2 Polyclonal Antibody detects endogenous levels

of Bcl-2 protein.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and

0.02% sodium azide.

Store at -20 $^{\circ}$ C. Avoid repeated freeze-thaw cycles.

Protein Name Apoptosis regulator Bcl-2

Gene Name BCL2

Cellular localization Mitochondrion outer membrane; Single-pass

membrane protein . Nucleus membrane ; Single-pass membrane protein . Endoplasmic reticulum membrane ; Single-pass membrane

protein . Cytoplasm .

Purification The antibody was affinity-purified from rabbit

antiserum by affinity-chromatography using

epitope-specific immunogen.

Clonality Polyclonal
Concentration 1 mg/ml
Observed band 26kD
Human Gene ID 596
Human Swiss-Prot Number P10415

Alternative Names BCL2; Apoptosis regulator Bcl-2

BCL2, apoptosis regulator(BCL2) Homo sapiens

This gene encodes an integral outer mitochondrial



+86-27-59760950 ELKbio@ELKbiotech.com www.elk



membrane protein that blocks the apoptotic death of some cells such as lymphocytes. Constitutive expression of BCL2, such as in the case of translocation of BCL2 to Ig heavy chain locus, is thought to be the cause of follicular lymphoma. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Feb 2016],



+86-27-59760950