

IL-8 rabbit pAb

Cat No.:ES2620

For research use only

Overview

Product Name	IL-8 rabbit pAb
Host species	Rabbit
Applications	WB;IHC;IF;ELISA
Species Cross-Reactivity	Human
Recommended dilutions	Western Blot: 1/500 - 1/2000.
	Immunohistochemistry: 1/100 - 1/300. ELISA:
	1/20000. Not yet tested in other applications.
Immunogen	The antiserum was produced against synthesized
-	peptide derived from human IL-8. AA range:19-68
Specificity	IL-8 Polyclonal Antibody detects endogenous levels
	of IL-8 protein.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and
	0.02% sodium azide.
Storage	Store at -20°C. Avoid repeated freeze-thaw cycles.
Protein Name	Interleukin-8
Gene Name	IL8
Cellular localization	Secreted.
Purification	The antibody was affinity-purified from rabbit
	antiserum by affinity-chromatography using
	epitope-specific immunogen.
Clonality	Polyclonal
Concentration	1 mg/ml
Observed band	8kD
Human Gene ID	3576
Human Swiss-Prot Number	P10145
Alternative Names	IL8; CXCL8; Interleukin-8; IL-8; C-X-C motif
	chemokine 8; Emoctakin; Granulocyte chemotactic
	protein 1; GCP-1; Monocyte-derived neutrophil
	chemotactic factor; MDNCF; Monocyte-derived
	neutrophil-activating peptide; MONAP;
	Neutrophil-activati
Background	The protein encoded by this gene is a member of
	the CXC chemokine family. This chemokine is one of



+86-27-59760950

ELKbio@ELKbiotech.com


www.elkbiotech.com


23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C




the major mediators of the inflammatory response. This chemokine is secreted by several cell types. It functions as a chemoattractant, and is also a potent angiogenic factor. This gene is believed to play a role in the pathogenesis of bronchiolitis, a common respiratory tract disease caused by viral infection. This gene and other ten members of the CXC chemokine gene family form a chemokine gene cluster in a region mapped to chromosome 4q. [provided by RefSeq, Jul 2008],

Western Blot analysis of various cells using IL-8 Polyclonal Antibody





HeLa






+86-27-59760950

ELKbio@ELKbiotech.com

www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C





+86-27-59760950

ELKbio@ELKbiotech.com

www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C