

Mos rabbit pAb

Cat No.: ES2813

For research use only

Overview

Product Name Mos rabbit pAb

Host species Rabbit

Applications WB;ELISA;IHC

Species Cross-Reactivity Human;Rat;Mouse;

Recommended dilutions WB 1:500-2000;IHC-p 1:50-300; ELISA 2000-20000

Immunogen The antiserum was produced against synthesized peptide derived from human MOS. AA range:61-110

Specificity Mos Polyclonal Antibody detects endogenous levels

of Mos protein.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and

0.02% sodium azide.

Storage Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name Proto-oncogene serine/threonine-protein kinase

mos

Gene Name MOS

Cellular localization intracellular,

Purification The antibody was affinity-purified from rabbit

antiserum by affinity-chromatography using

epitope-specific immunogen.

Clonality Polyclonal
Concentration 1 mg/ml
Observed band 40kD
Human Gene ID 4342
Human Swiss-Prot Number P00540

Alternative Names MOS; Proto-oncogene serine/threonine-protein

kinase mos; Oocyte maturation factor mos;

Proto-oncogene c-Mos

Background MOS is a serine/threonine kinase that activates the

MAP kinase cascade through direct phosphorylation of the MAP kinase activator MEK (MAP2K1; MIM

176872) (Prasad et al., 2008 [PubMed


18246541]).[supplied by OMIM, Jul 2009],




+86-27-59760950 ELKbio@ELKbiotech.com

www.elkbiotech.com





Western Blot analysis of various cells using Mos Polyclonal Antibody



Western blot analysis of lysates from 293 cells, using MOS Antibody. The lane on the right is blocked with the synthesized peptide.



Immunohistochemical analysis of paraffin-embedded human uterus. 1, Antibody was diluted at 1:200(4° overnight). 2, Tris-EDTA,pH9.0 was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200(room temperature, 45min).

