

GHR rabbit pAb

Cat No.: ES4303

For research use only

Overview

Product Name GHR rabbit pAb

Host species Rabbit
Applications WB;ELISA

Species Cross-Reactivity Human; Mouse; Rat

Recommended dilutions Western Blot: 1/500 - 1/2000. ELISA: 1/10000. Not

yet tested in other applications.

Immunogen The antiserum was produced against synthesized

peptide derived from the N-terminal region of

human GHR. AA range:21-70

Specificity GHR Polyclonal Antibody detects endogenous levels

of GHR protein.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and

0.02% sodium azide.

Storage Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name Growth hormone receptor

Gene Name GHR

Cell ular localization Cell membrane; Single-pass type I membrane

protein. On growth hormone binding, GHR is ubiquitinated, internalized, down-regulated and transported into a degradative or non-degradative pathway. .; [Isoform 2]: Cell membrane; Single-pass

type I membrane pro

Purification The antibody was affinity-purified from rabbit

antiserum by affinity-chromatography using

epitope-specific immunogen.

Clonality Polyclonal
Concentration 1 mg/ml
Observed band 140kD
Human Gene ID 2690
Human Swiss-Prot Number P10912

Alternative Names GHR; Growth hormone receptor; GH receptor;

Somatotropin receptor

Background This gene encodes a member of the type I cytokine





receptor family, which is a transmembrane receptor for growth hormone. Binding of growth hormone to the receptor leads to receptor dimerization and the activation of an intra- and intercellular signal transduction pathway leading to growth. Mutations in this gene have been associated with Laron syndrome, also known as the growth hormone insensitivity syndrome (GHIS), a disorder characterized by short stature. In humans and rabbits, but not rodents, growth hormone binding protein (GHBP) is generated by proteolytic cleavage of the extracellular ligand-binding domain from the mature growth hormone receptor protein. Multiple alternatively spliced transcript variants have been found for this gene.[provided by RefSeq, Jun 2011],



55---45---

35---

25---

Western Blot analysis of SKOV3 cells using GHR Polyclonal Antibody. Secondary antibody(catalog#:RS0002) was diluted at 1:20000

