

CD98 rabbit pAb

Cat No.: ES4329

For research use only

Overview

Product Name CD98 rabbit pAb

Host species Rabbit
Applications WB;ELISA

Species Cross-Reactivity Human; Mouse; Rat

Recommended dilutions Western Blot: 1/500 - 1/2000. ELISA: 1/10000. Not

yet tested in other applications.

Immunogen The antiserum was produced against synthesized

peptide derived from the C-terminal region of

human SLC3A2. AA range:491-540

Specificity CD98 Polyclonal Antibody detects endogenous

levels of CD98 protein.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and

0.02% sodium azide.

Storage Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name 4F2 cell-surface antigen heavy chain

Gene Name SLC3A2

Cellular localization Apical cell membrane . Cell membrane ; Single-pass

type II membrane protein . Cell junction . Lysosome membrane . Melanosome . Localized at the plasma membrane when associated with SLC7A5/LAT1 or

SLC7A8/LAT2 (PubMed:9751058, PubMed:11311135). Localized to

Purification The antibody was affinity-purified from rabbit

antiserum by affinity-chromatography using

epitope-specific immunogen.

Clonality Polyclonal
Concentration 1 mg/ml
Observed band 69kD
Human Gene ID 6520
Human Swiss-Prot Number P08195

Alternative Names SLC3A2; MDU1; 4F2 cell-surface antigen heavy

chain; 4F2hc; 4F2 heavy chain antigen; Lymphocyte

activation antigen 4F2 large subunit; CD98




+86-27-59760950 ELKbio@ELKbiotech.com

www.elkbiotech.com



Background



This gene is a member of the solute carrier family and encodes a cell surface, transmembrane protein. The protein exists as the heavy chain of a heterodimer, covalently bound through di-sulfide bonds to one of several possible light chains. The encoded transporter plays a role in regulation of intracellular calcium levels and transports L-type amino acids. Alternatively spliced transcript variants, encoding different isoforms, have been characterized. [provided by RefSeq, Nov 2010],

Western Blot analysis of HEB cells using CD98 Polyclonal Antibody. Secondary antibody(catalog#:RS0002) was diluted at 1:20000



+86-27-59760950