

## DNAM-1 rabbit pAb

## Cat No.:ES4532

For research use only

## Overview

| Product Name             | DNAM-1 rabbit pAb                                   |
|--------------------------|---|
| Host species             | Rabbit  |
| Applications             | WB;IHC;IF;ELISA                                     |
| Species Cross-Reactivity | Human; Mouse; Monkey                                |
| Recommended dilutions    | Western Blot: 1/500 - 1/2000.                       |
|                          | Immunohistochemistry: 1/100 - 1/300.                |
|                          | Immunofluorescence: 1/200 - 1/1000. ELISA:          |
|                          | 1/20000. Not yet tested in other applications.      |
| Immunogen                | The antiserum was produced against synthesized      |
| <u> </u>                 | peptide derived from human CD226/DNAM-1. AA         |
|                          | range:287-336                                       |
| Specificity              | DNAM-1 Polyclonal Antibody detects endogenous       |
|                          | levels of DNAM-1 protein.                           |
| Formulation              | Liquid in PBS containing 50% glycerol, 0.5% BSA and |
|                          | 0.02% sodium azide.                                 |
| Storage                  | Store at -20°C. Avoid repeated freeze-thaw cycles.  |
| Protein Name             | CD226 antigen                                       |
| Gene Name                | CD226   |
| Cellular localization    | Cell membrane ; Single-pass type I membrane         |
|                          | protein .   |
| Purification             | The antibody was affinity-purified from rabbit      |
|                          | antiserum by affinity-chromatography using          |
|                          | epitope-specific immunogen.                         |
| Clonality                | Polyclonal  |
| Concentration            | 1 mg/ml   |
| Observed band            | 38kD  |
| Human Gene ID            | 10666   |
| Human Swiss-Prot Number  | Q15762  |
| Alternative Names        | CD226; DNAM1; CD226 antigen; DNAX accessory         |
|                          | molecule 1; DNAM-1; CD antigen CD226                |
| Background               | This gene encodes a glycoprotein expressed on the   |
|                          | surface of NK cells, platelets, monocytes and a     |
|                          | subset of T cells. It is a member of the            |
|                          |   |



+86-27-59760950

ELKbio@ELKbiotech.com


www.elkbiotech.com


23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C



Ig-superfamily containing 2 Ig-like domains of the V-set. The protein mediates cellular adhesion of platelets and megakaryocytic cells to vascular endothelial cells. The protein also plays a role in megakaryocytic cell maturation. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Jan 2015],

Western Blot analysis of COS7 cells using DNAM-1 Polyclonal Antibody diluted at 1:500





Western Blot analysis of mouse-brain cells using DNAM-1 Polyclonal Antibody diluted at 1:500

Western Blot analysis of AD293 using DNAM-1 Polyclonal Antibody diluted at 1:500




ELKbio@ELKbiotech.com

www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C



Immunofluorescence analysis of HeLa cells, using CD226/DNAM-1 Antibody. The picture on the right is blocked with the synthesized peptide.





+86-27-59760950

ELKbio@ELKbiotech.com

www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C