

Macroglobulin α-2 rabbit pAb

Cat No.: ES5091

For research use only

Overview

Product Name Macroglobulin α-2 rabbit pAb

Host species Rabbit
Applications IHC;IF;ELISA

Species Cross-Reactivity Human; Rat; Mouse;

Recommended dilutions Immunohistochemistry: 1/100 - 1/300. ELISA:

1/40000. Not yet tested in other applications.

Immunogen Synthesized peptide derived from Macroglobulin

 α -2 . at AA range: 1100-1180

Specificity Macroglobulin α-2 Polyclonal Antibody detects

endogenous levels of Macroglobulin α -2 protein.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and

0.02% sodium azide.

Storage Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name Alpha-2-macroglobulin

Gene Name A2M **Cellular localization** Secreted .

Purification The antibody was affinity-purified from rabbit

antiserum by affinity-chromatography using

epitope-specific immunogen.

Clonality Polyclonal Concentration 1 mg/ml

Observed band

Human Gene ID 2

Human Swiss-Prot Number P01023

Alternative Names A2M; CPAMD5; FWP007; Alpha-2-macroglobulin;

Alpha-2-M; C3 and PZP-like alpha-2-macroglobulin

domain-containing protein 5

Background Alpha-2-macroglobulin is a protease inhibitor and

cytokine transporter. It inhibits many proteases, including trypsin, thrombin and collagenase. A2M is implicated in Alzheimer disease (AD) due to its ability to mediate the clearance and degradation of

A-beta, the major component of beta-amyloid



+86-27-59760950 ELKbio@ELKbiotech.com

www.elkbiotech.com



deposits. [provided by RefSeq, Jul 2008],

Immunohistochemical analysis of paraffin-embedded human tonsil. 1, Antibody was diluted at 1:200(4° overnight). 2, Tris-EDTA,pH9.0 was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200(room temperature, 30min).





+86-27-59760950