



Olfactory receptor 8G5 rabbit pAb

Cat No.:ES5215

For research use only

Overview


Product Name	Olfactory receptor 8G5 rabbit pAb
Host species	Rabbit
Applications	WB;IF;ELISA
Species Cross-Reactivity	Human;Rat;Mouse;
Recommended dilutions	Western Blot: 1/500 - 1/2000. Immunofluorescence: 1/200 - 1/1000. ELISA: 1/20000. Not yet tested in other applications.
Immunogen	The antiserum was produced against synthesized peptide derived from human OR8G5. AA range:197-246
Specificity	Olfactory receptor 8G5 Polyclonal Antibody detects endogenous levels of Olfactory receptor 8G5 protein.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Storage	Store at -20°C. Avoid repeated freeze-thaw cycles.
Protein Name	Olfactory receptor 8G5
Gene Name	OR8G5
Cellular localization	Cell membrane; Multi-pass membrane protein.
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Clonality	Polyclonal
Concentration	1 mg/ml
Observed band	30kD
Human Gene ID	219865
Human Swiss-Prot Number	Q8NG78
Alternative Names	OR8G5; OR8G5P; OR8G6; Olfactory receptor 8G5; Olfactory receptor 8G6; Olfactory receptor OR11-298
Background	olfactory receptor family 8 subfamily G member 5(OR8G5) Homo sapiens Olfactory receptors interact with odorant molecules in the nose, to






initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. [provided by RefSeq, Jul 2008],

Western Blot analysis of HeLa cells using Olfactory receptor 8G5 Polyclonal Antibody




Western blot analysis of lysates from HeLa and COLO cells, using OR8G5 Antibody. The lane on the right is blocked with the synthesized peptide.





ELK Biotechnology



Western blot analysis of the lysates from COLO205 cells using OR8G5 antibody.



+86-27-59760950

ELKbio@ELKbiotech.com

www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei, P.R.C