

Neuropsin rabbit pAb

Cat No.:ES5229

For research use only

Overview

Product Name	Neuropsin rabbit pAb
Host species	Rabbit
Applications	WB;ELISA;IHC
Species Cross-Reactivity	Human;Mouse
Recommended dilutions	WB 1:500-2000;IHC-p 1:50-300; ELISA 2000-20000
Immunogen	The antiserum was produced against synthesized
	peptide derived from human OPN5. AA
	range:251-300
Specificity	Neuropsin Polyclonal Antibody detects endogenous
	levels of Neuropsin protein.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and
	0.02% sodium azide.
Storage	Store at -20°C. Avoid repeated freeze-thaw cycles.
Protein Name	Opsin-5
Gene Name	OPN5
Cellular localization	Cell membrane ; Multi-pass membrane protein .
Purification	The antibody was affinity-purified from rabbit
	antiserum by affinity-chromatography using
	epitope-specific immunogen.
Clonality	Polyclonal
Concentration	1 mg/ml
Observed band	43kD
Human Gene ID	221391
Human Swiss-Prot Number	Q6U736
Alternative Names	OPN5; GPR136; PGR12; TMEM13; Opsin-5;
	G-protein coupled receptor 136; G-protein coupled
	receptor PGR12; Neuropsin; Transmembrane
	protein 13
Background	Opsins are members of the guanine
	nucleotide-binding protein (G protein)-coupled
	receptor superfamily. This opsin gene is expressed in
	the eye, brain, testes, and spinal cord. This gene
	belongs to the seven-exon subfamily of mammalian



+86-27-59760950

ELKbio@ELKbiotech.com


www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C




opsin genes that includes peropsin (RRH) and retinal G protein coupled receptor (RGR). Like these other seven-exon opsin genes, this family member may encode a protein with photoisomerase activity. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Jun 2010],

Western Blot analysis of Jurkat cells using Neuropsin Polyclonal Antibody



Immunofluorescence analysis of HeLa cells, using OPN5 Antibody. The picture on the right is blocked with the synthesized peptide.



Western blot analysis of lysates from Jurkat cells, using OPN5 Antibody. The lane on the right is blocked with the synthesized peptide.




+86-27-59760950

ELKbio@ELKbiotech.com

www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C



Western blot analysis of the lysates from HUVECcells using OPN5 antibody.



+86-27-59760950

ELKbio@ELKbiotech.com

www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C