

GluR-1 (phospho Ser849) rabbit pAb

Cat No.:ES5635

For research use only

Overview

Product Name	GluR-1 (phospho Ser849) rabbit pAb	
Host species	Rabbit	
Applications	IHC;IF;ELISA	
Species Cross-Reactivity	Human;Mouse;Rat	
Recommended dilutions	Immunohistochemistry: 1/100 - 1/300. ELISA:	
	1/40000. Not yet tested in other applications.	
Immunogen	The antiserum was produced against synthesized	
	peptide derived from human GluR1 around the	
	phosphorylation site of Ser849. AA range:816-865	
Specificity	Phospho-GluR-1 (S849) Polyclonal Antibody detects	
	endogenous levels of GluR-1 protein only when	
	phosphorylated at \$849.	
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and	
	0.02% sodium azide.	
Storage	Store at -20°C. Avoid repeated freeze-thaw cycles.	
Protein Name	Glutamate receptor 1	
Gene Name	GRIA1	
Cellular localization	Cell membrane ; Multi-pass membrane protein .	
	Endoplasmic reticulum membrane ; Multi-pass	
	membrane protein . Cell junction, synapse,	
	postsynaptic cell membrane ; Multi-pass membrane	
	protein . Cell junction, synapse, postsynaptic density	
	membrane ; Multi-p	
Purification	The antibody was affinity-purified from rabbit	
	antiserum by affinity-chromatography using	
	epitope-specific immunogen.	
Clonality	Polyclonal	
Concentration	1 mg/ml	
Observed band		
Human Gene ID	2890	
Human Swiss-Prot Number	P42261	
Alternative Names	GRIA1; GLUH1; GLUR1; Glutamate receptor 1;	
	GluR-1; AMPA-selective glutamate receptor 1;	



+86-27-59760950

ELKbio@ELKbiotech.com

www.elkbiotech.com


23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C



Background


GluR-A; GluR-K1; Glutamate receptor ionotropic; AMPA 1; GluA1

Glutamate receptors are the predominant excitatory neurotransmitter receptors in the mammalian brain and are activated in a variety of normal neurophysiologic processes. These receptors are heteromeric protein complexes with multiple subunits, each possessing transmembrane regions, and all arranged to form a ligand-gated ion channel. The classification of glutamate receptors is based on their activation by different pharmacologic agonists. This gene belongs to a family of alpha-amino-3-hydroxy-5-methyl-4-isoxazole propionate (AMPA) receptors. Alternatively spliced transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Jul



Enzyme-Linked Immunosorbent Assay (Phospho-ELISA) for Immunogen Phosphopeptide (Phospho-left) and Non-Phosphopeptide (Phospho-right), using GluR1 (Phospho-Ser849) Antibody

Immunohistochemistry analysis of paraffin-embedded human brain, using GluR1 (Phospho-Ser849) Antibody. The picture on the right is blocked with the phospho peptide.





+86-27-59760950

ELKbio@ELKbiotech.com

2008],

www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C