

Jun D rabbit pAb

Cat No.: ES5987

For research use only

Overview

Product Name Jun D rabbit pAb

Host species Rabbit

Applications WB;IHC;IF;IP;ELISA Species Cross-Reactivity Human;Mouse;Rat

Recommended dilutions Western Blot: 1/500 - 1/2000.

Immunohistochemistry: 1/100 - 1/300.

Immunoprecipitation: 2-5 ug/mg lysate. ELISA: 1/20000. Not yet tested in other applications. The antiserum was produced against synthesized

Immunogen The antiserum was produced against synthesized

peptide derived from human JunD. AA

range:222-271

Specificity Jun D Polyclonal Antibody detects endogenous

levels of Jun D protein.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and

0.02% sodium azide.

Storage Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name Transcription factor jun-D

Gene Name JUND Cellular localization Nucleus.

Purification The antibody was affinity-purified from rabbit

antiserum by affinity-chromatography using

epitope-specific immunogen.

Clonality Polyclonal
Concentration 1 mg/ml
Observed band 38kD
Human Gene ID 3727
Human Swiss-Prot Number P17535

Alternative Names JUND; Transcription factor jun-D

Background The protein encoded by this intronless gene is a

member of the JUN family, and a functional

component of the AP1 transcription factor complex. This protein has been proposed to protect cells from

p53-dependent senescence and apoptosis.




+86-27-59760950 ELKbio@ELKbiotech.com


www.elkbiotech.com




Alternative translation initiation site usage results in the production of different isoforms (PMID:12105216). [provided by RefSeq, Nov 2013],



Western Blot analysis of K562 HeLa Jurkat cells using Jun D Polyclonal Antibody cells nucleus extracted by Minute TM Cytoplasmic and Nuclear Fractionation kit (SC-003,Inventbiotech,MN,USA).



Immunohistochemistry analysis of paraffin-embedded human breast carcinoma tissue, using JunD Antibody. The picture on the right is blocked with the synthesized peptide.



Western blot analysis of lysates from Jurkat cells, using JunD Antibody. The lane on the right is blocked with the synthesized peptide.

