

Olfactory receptor 5D16 rabbit pAb

Cat No.:ES6054

For research use only

Overview

Product Name Olfactory receptor 5D16 rabbit pAb

Host species Rabbit WB;ELISA **Applications**

Species Cross-Reactivity Human; Rat; Mouse;

Recommended dilutions Western Blot: 1/500 - 1/2000. ELISA: 1/5000. Not

yet tested in other applications.

The antiserum was produced against synthesized **Immunogen**

peptide derived from human OR5D16. AA

range:201-250

Specificity Olfactory receptor 5D16 Polyclonal Antibody detects

endogenous levels of Olfactory receptor 5D16

protein.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and

0.02% sodium azide.

Store at -20°C. Avoid repeated freeze-thaw cycles. Storage

Olfactory receptor 5D16 **Protein Name**

Gene Name OR5D16

Cellular localization Cell membrane; Multi-pass membrane protein. Purification The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using

epitope-specific immunogen.

Clonality Polyclonal Concentration 1 mg/ml **Observed band** 38kD **Human Gene ID** 390144 **Human Swiss-Prot Number** Q8NGK9

Alternative Names OR5D16; Olfactory receptor 5D16; Olfactory

receptor OR11-154

Olfactory receptors interact with odorant molecules **Background**

> in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from



+86-27-59760950 ELKbio@ELKbiotech.com



single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. [provided by RefSeq, Jul 2008],





