

Olfactory receptor 8H3 rabbit pAb

Cat No.:ES6057

For research use only

Overview

Product Name	Olfactory receptor 8H3 rabbit pAb	
Host species	Rabbit	
Applications	IF;ELISA	
Species Cross-Reactivity	Human;Rat;Mouse;	
Recommended dilutions	Immunofluorescence: 1/200 - 1/1000. ELISA:	
	1/10000. Not yet tested in other applications.	
Immunogen	The antiserum was produced against synthesized	
	peptide derived from human OR8H3. AA	
	range:262-311	
Specificity	Olfactory receptor 8H3 Polyclonal Antibody detects	
	endogenous levels of Olfactory receptor 8H3	
	protein.	
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and	
	0.02% sodium azide.	
Storage	Store at -20°C. Avoid repeated freeze-thaw cycles.	
Protein Name	Olfactory receptor 8H3	
Gene Name	OR8H3	
Cellular localization	Cell membrane; Multi-pass membrane protein.	
Purification	The antibody was affinity-purified from rabbit	
	antiserum by affinity-chromatography using	
	epitope-specific immunogen.	
Clonality	Polyclonal	
Concentration	1 mg/ml	
Observed band		
Human Gene ID	390152	
Human Swiss-Prot Number	Q8N146	
Alternative Names	OR8H3; Olfactory receptor 8H3; Olfactory receptor	
	OR11-172	
Background	olfactory receptor family 8 subfamily H member	
	3(OR8H3) Homo sapiens Olfactory receptors	
	interact with odorant molecules in the nose, to	
	initiate a neuronal response that triggers the	
	perception of a smell. The olfactory receptor	



+86-27-59760950

ELKbio@ELKbiotech.com


www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C



proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. [provided by RefSeq, Jul 2008],

Immunofluorescence analysis of HUVEC cells, using OR8H3 Antibody. The picture on the right is blocked with the synthesized peptide.





+86-27-59760950

ELKbio@ELKbiotech.com

www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C