

## **Rho GDIα (phospho Ser174) rabbit pAb**

## Cat No.:ES6106

For research use only

## Overview

Product Name	Rho GDIα (phospho Ser174) rabbit pAb
Host species	Rabbit
Applications	WB;IHC;IF;ELISA
Species Cross-Reactivity	Human; Mouse; Rat
<b>Recommended dilutions</b>	Western Blot: 1/500 - 1/2000.
	Immunohistochemistry: 1/100 - 1/300. ELISA:
	1/20000. Not yet tested in other applications.
Immunogen	The antiserum was produced against synthesized
	peptide derived from human ARHGDIA around the
	phosphorylation site of Ser174. AA range:140-189
Specificity	Phospho-Rho GDIα (S174) Polyclonal Antibody
	detects endogenous levels of Rho GDIa protein only
	when phosphorylated at S174.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and
	0.02% sodium azide.
Storage	Store at -20°C. Avoid repeated freeze-thaw cycles.
Protein Name	Rho GDP-dissociation inhibitor 1
Gene Name	ARHGDIA
Cellular localization	Cytoplasm .
Purification	The antibody was affinity-purified from rabbit
	antiserum by affinity-chromatography using
	epitope-specific immunogen.
Clonality	Polyclonal
Concentration	1 mg/ml
Observed band	23kD
Human Gene ID	396
Human Swiss-Prot Number	P52565
Alternative Names	ARHGDIA; GDIA1; Rho GDP-dissociation inhibitor 1;
	Rho GDI 1; Rho-GDI alpha
Background	This gene encodes a protein that plays a key role in
	the regulation of signaling through Rho GTPases.
	The encoded protein inhibits the disassociation of
	Rho family members from GDP (guanine



+86-27-59760950


ELKbio@ELKbiotech.com

www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C





diphosphate), thereby maintaining these factors in an inactive state. Activity of this protein is important in a variety of cellular processes, and expression of this gene may be altered in tumors. Mutations in this gene have been found in individuals with nephrotic syndrome, type 8. Alternate splicing results in multiple transcript variants. [provided by RefSeq, Jul 2014],



Enzyme-Linked Immunosorbent Assay (Phospho-ELISA) for Immunogen Phosphopeptide (Phospho-left) and Non-Phosphopeptide (Phospho-right), using ARHGDIA (Phospho-Ser174) Antibody

Immunohistochemistry analysis of paraffin-embedded human cervix carcinoma, using ARHGDIA (Phospho-Ser174) Antibody. The picture on the right is blocked with the phospho peptide.





Western blot analysis of lysates from HUVEC cells treated with EGF 200ng/ml 30', using ARHGDIA (Phospho-Ser174) Antibody. The lane on the right is blocked with the phospho peptide.



+86-27-59760950

ELKbio@ELKbiotech.com

www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C