

Olfactory receptor 2T5/2T29 rabbit pAb

Cat No.:ES6132

For research use only

Overview

Product Name Olfactory receptor 2T5/2T29 rabbit pAb

Host species Rabbit
Applications WB;IF;ELISA

Species Cross-Reactivity Human; Rat; Mouse;

Recommended dilutions Western Blot: 1/500 - 1/2000. Immunofluorescence:

1/200 - 1/1000. ELISA: 1/20000. Not yet tested in

other applications.

Immunogen The antiserum was produced against synthesized

peptide derived from human OR2T5/2T29. AA

range:66-115

Specificity Olfactory receptor 2T5/2T29 Polyclonal Antibody

detects endogenous levels of Olfactory receptor

2T5/2T29 protein.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and

0.02% sodium azide.

Storage Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name Olfactory receptor 2T5/29

Gene Name OR2T5/OR2T29

Cellular localizationCell membrane; Multi-pass membrane protein.PurificationThe antibody was affinity-purified from rabbit
antiserum by affinity-chromatography using

epitope-specific immunogen.

ClonalityPolyclonalConcentration1 mg/mlObserved band34kDHuman Gene ID401993

Human Swiss-Prot Number Q8NH02/Q6IEZ7

Alternative Names OR2T29; Olfactory receptor 2T29; OR2T5; Olfactory

receptor 2T5; Olfactory receptor OR1-62

Background Olfactory receptors interact with odorant molecules

in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of




+86-27-59760950 ELKbio@ELKbiotech.com w




G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. [provided by RefSeq, Jul 2008],

Immunofluorescence analysis of MCF7 cells, using OR2T5/2T29 Antibody. The picture on the right is blocked with the synthesized peptide.








Western blot analysis of lysates from K562 cells, using OR2T5/2T29 Antibody. The lane on the right is blocked with the synthesized peptide.







Western blot analysis of the lysates from HeLa cells using OR2T5/2T29 antibody.

