

eNOS (phospho Thr494) rabbit pAb

Cat No.: ES6399

For research use only

Overview

Product Name eNOS (phospho Thr494) rabbit pAb

Host species Rabbit
Applications WB;ELISA

Species Cross-Reactivity Human; Mouse; Rat

Recommended dilutions Western Blot: 1/500 - 1/2000. ELISA: 1/5000. Not

yet tested in other applications.

Immunogen The antiserum was produced against synthesized

peptide derived from human eNOS around the phosphorylation site of Thr494. AA range:462-511

Specificity Phospho-NOS3 (T494) Polyclonal Antibody detects

endogenous levels of NOS3 protein only when

phosphorylated at T494.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and

0.02% sodium azide.

Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name Nitric oxide synthase endothelial

Gene Name NOS3

Cellular localization Cell membrane. Membrane, caveola. Cytoplasm,

cytoskeleton. Golgi apparatus. Specifically associates with actin cytoskeleton in the G2 phase of the cell cycle; which is favored by interaction with NOSIP

and results in a reduced enzymatic activity.

Purification The antibody was affinity-purified from rabbit

antiserum by affinity-chromatography using

epitope-specific immunogen.

Clonality Polyclonal
Concentration 1 mg/ml
Observed band 130-140kD
Human Gene ID 4846
Human Swiss-Prot Number P29474

Alternative Names NOS3; Nitric oxide synthase; endothelial;

Constitutive NOS; cNOS; EC-NOS; Endothelial NOS;

eNOS; NOS type III; NOSIII




+86-27-59760950 ELKbio@ELKbiotech.com

www.elkbiotech.com




Background


Nitric oxide is a reactive free radical which acts as a biologic mediator in several processes, including neurotransmission and antimicrobial and antitumoral activities. Nitric oxide is synthesized from L-arginine by nitric oxide synthases. Variations in this gene are associated with susceptibility to coronary spasm. Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, May 2009],



Western Blot analysis of 293 cells using Phospho-NOS3 (T494) Polyclonal Antibody diluted at 1:1000



Enzyme-Linked Immunosorbent Assay (Phospho-ELISA) for Immunogen Phosphopeptide (Phospho-left) and Non-Phosphopeptide (Phospho-right), using eNOS (Phospho-Thr494) Antibody



Western blot analysis of lysates from Jurkat cells, using eNOS (Phospho-Thr494) Antibody. The lane on the right is blocked with the phospho peptide.



ELKbio@ELKbiotech.com

www.elkbiotech.com





+86-27-59760950