

PI 3-kinase p85/p55 (phospho Tyr467/199) rabbit pAb

Cat No.:ES6591

For research use only

Overview

Product Name	PI 3-kinase p85/p55 (phospho Tyr467/199) rabbit
Host species Applications	pAb Rabbit WB;IHC;IF;ELISA
Species Cross-Reactivity	Human;Mouse;Rat;Monkey;Pig
Recommended dilutions	Western Blot: 1/500 - 1/2000.
	Immunohistochemistry: 1/100 - 1/300.
	Immunofluorescence: 1/200 - 1/1000. ELISA:
	1/10000. Not yet tested in other applications.
Immunogen	The antiserum was produced against synthesized peptide derived from human PI3-kinase
	p85-alpha/gamma around the phosphorylation site of Tyr467/199. AA range:436-485
Specificity	Phospho-PI 3-kinase p85/p55 (Y467/199) Polyclonal Antibody detects endogenous levels of PI 3-kinase p85/p55 protein only when phosphorylated at Y467/199.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and
	0.02% sodium azide.
Storage	Store at -20 $^{\circ}$ C. Avoid repeated freeze-thaw cycles.
Protein Name	Phosphatidylinositol 3-kinase regulatory subunit alpha/gamma
Gene Name	PIK3R1/PIK3R3
Cellular localization	nucleus,cytoplasm,cis-Golgi network,cytosol,plasma membrane,cell-cell junction,phosphatidylinositol 3-kinase complex,phosphatidylinositol 3-kinase complex, class IA,membrane,perinuclear endoplasmic reticulum membrane,
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Clonality	Polyclonal
+86-27-59760950	ELKbio@ELKbiotech.com www.elkbiotech.com



23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C



Concentration	1 mg/ml
Observed band	55+85kD
Human Gene ID	5295
Human Swiss-Prot Number	P27986/Q92569
Alternative Names	PIK3R1; GRB1; Phosphatidylinositol 3-kinase
	regulatory subunit alpha; PI3-kinase regulatory
	subunit alpha; PI3K regulatory subunit alpha;
	PtdIns-3-kinase regulatory subunit alpha;
	Phosphatidylinositol 3-kinase 85 kDa regulatory
	subunit alph
Background	Phosphatidylinositol 3-kinase phosphorylates the
	inositol ring of phosphatidylinositol at the 3-prime
	position. The enzyme comprises a 110 kD catalytic
	subunit and a regulatory subunit of either 85, 55, or
	50 kD. This gene encodes the 85 kD regulatory
	subunit. Phosphatidylinositol 3-kinase plays an
	important role in the metabolic actions of insulin,
	and a mutation in this gene has been associated
	with insulin resistance. Alternative splicing of this
	gene results in four transcript variants encoding
	different isoforms. [provided by RefSeq, Jun 2011],



+86-27-59760950

ELKbio@ELKbiotech.com

www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C