

## MEK-1 (phospho Thr386) rabbit pAb

Cat No.: ES6822

For research use only

## Overview

**Specificity** 

Product Name MEK-1 (phospho Thr386) rabbit pAb

Host species Rabbit
Applications WB;ELISA

Species Cross-Reactivity Human; Mouse; Rat

Recommended dilutions Western Blot: 1/500 - 1/2000. ELISA: 1/10000. Not

yet tested in other applications.

Immunogen The antiserum was produced against synthesized

peptide derived from human MAP2K1 around the phosphorylation site of Thr386. AA range:344-393 Phospho-MEK-1 (T386) Polyclonal Antibody detects

endogenous levels of MEK-1 protein only when

phosphorylated at T386.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and

0.02% sodium azide.

Storage Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name Dual specificity mitogen-activated protein kinase

kinase 1

Gene Name MAP2K1

**Cellular localization** Cytoplasm, cytoskeleton, microtubule organizing

center, centrosome . Cytoplasm, cytoskeleton, microtubule organizing center, spindle pole body . Cytoplasm . Nucleus . Membrane ; Peripheral

membrane protein. Localizes at centrosomes during

prometaphase, m

**Purification** The antibody was affinity-purified from rabbit

antiserum by affinity-chromatography using

epitope-specific immunogen.

Clonality Polyclonal
Concentration 1 mg/ml
Observed band 45kD
Human Gene ID 5604
Human Swiss-Prot Number Q02750


Alternative Names MAP2K1; MEK1; PRKMK1; Dual specificity






**Background** 

mitogen-activated protein kinase kinase 1; MAP kinase kinase 1; MAPKK 1; MKK1; ERK activator kinase 1; MAPK/ERK kinase 1; MEK 1 The protein encoded by this gene is a member of the dual specificity protein kinase family, which acts as a mitogen-activated protein (MAP) kinase kinase. MAP kinases, also known as extracellular signal-regulated kinases (ERKs), act as an integration point for multiple biochemical signals. This protein kinase lies upstream of MAP kinases and stimulates the enzymatic activity of MAP kinases upon wide variety of extra- and intracellular signals. As an essential component of MAP kinase signal transduction pathway, this kinase is involved in many cellular processes such as proliferation, differentiation, transcription regulation and development. [provided by RefSeq, Jul 2008],



Western Blot analysis of 3T3-EGF cells using Phospho-MEK-1 (T386) Polyclonal Antibody diluted at 1:2000



Western blot analysis of MAP2K1 (Phospho-Thr386) Antibody. The lane on the right is blocked with the MAP2K1 (Phospho-Thr386) peptide.



+86-27-59760950

ELKbio@ELKbiotech.com

www.elkbiotech.com