

Syntaxin 1 (phospho Ser14) rabbit pAb

Cat No.:ES7314

For research use only

Overview

Specificity

Product Name Syntaxin 1 (phospho Ser14) rabbit pAb

Host species Rabbit

Applications WB;IHC;IF;ELISA Species Cross-Reactivity Human;Mouse;Rat

Recommended dilutions Western Blot: 1/500 - 1/2000.

Immunohistochemistry: 1/100 - 1/300.

Immunofluorescence: 1/200 - 1/1000. ELISA: 1/10000. Not yet tested in other applications. The antiserum was produced against synthesized

Immunogen The antiserum was produced against synthesized

peptide derived from human Syntaxin 1A around the

phosphorylation site of Ser14. AA range:1-50 Phospho-Syntaxin 1 (S14) Polyclonal Antibody

detects endogenous levels of Syntaxin 1 protein only

when phosphorylated at S14.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and

0.02% sodium azide.

Storage Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name Syntaxin-1A Gene Name STX1A

Cellular localization Cytoplasmic vesicle, secretory vesicle, synaptic

vesicle membrane; Single-pass type IV membrane protein. Cell junction, synapse, synaptosome. Cell membrane. Colocalizes with KCNB1 at the cell

membrane. .; [Isoform 2]: Secreted .

Purification The antibody was affinity-purified from rabbit

antiserum by affinity-chromatography using

epitope-specific immunogen.

Clonality Polyclonal
Concentration 1 mg/ml
Observed band 35kD
Human Gene ID 6804
Human Swiss-Prot Number Q16623

+86-27-59760950

Alternative Names STX1A; STX1; Syntaxin-1A; Neuron-specific antigen






Background


HPC-1

This gene encodes a member of the syntaxin superfamily. Syntaxins are nervous system-specific proteins implicated in the docking of synaptic vesicles with the presynaptic plasma membrane. Syntaxins possess a single C-terminal transmembrane domain, a SNARE [Soluble NSF (N-ethylmaleimide-sensitive fusion protein)-Attachment protein REceptor] domain (known as H3), and an N-terminal regulatory domain (Habc). Syntaxins bind synaptotagmin in a calcium-dependent fashion and interact with voltage dependent calcium and potassium channels via the C-terminal H3 domain. This gene product is a key molecule in ion channel regulation and synaptic exocytosis. Alternatively spliced transcript variants encoding different isoforms have been found for this gene.[provided by RefSeq, Sep 2009],

Immunohistochemical analysis of paraffin-embedded Human brain. Antibody was diluted at 1:100(4° overnight). High-pressure and temperature Tris-EDTA,pH8.0 was used for antigen retrieval. Negetive contrl (right) obtaned from antibody was pre-absorbed by i




Immunofluorescence analysis of NIH/3T3 cells, using Syntaxin 1A (Phospho-Ser14) Antibody. The picture on the right is blocked with the phospho peptide.



+86-27-59760950







Western blot analysis of lysates from 293 cells, using Syntaxin 1A (Phospho-Ser14) Antibody. The lane on the right is blocked with the phospho peptide.



+86-27-59760950