

RUNX1 rabbit pAb

Cat No.:ES7837

For research use only

Overview

Product Name	RUNX1 rabbit pAb	
Host species	Rabbit	
Applications	WB;IHC;IF;ELISA	
Species Cross-Reactivity	Human; Mouse; Rat	
Recommended dilutions	Western Blot: 1/500 - 1/2000.	
	Immunohistochemistry: 1/100 - 1/300.	
	Immunofluorescence: 1/200 - 1/1000. ELISA:	
	1/20000. Not yet tested in other applications.	
Immunogen	The antiserum was produced against synthesized	
	peptide derived from human AML1. AA	
	range:269-318	
Specificity	RUNX1 Polyclonal Antibody detects endogenous	
	levels of RUNX1 protein.	
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and	
	0.02% sodium azide.	
Storage	Store at -20°C. Avoid repeated freeze-thaw cycles.	
Protein Name	Runt-related transcription factor 1	
Gene Name	RUNX1	
Cellular localization	Nucleus.	
Purification	The antibody was affinity-purified from rabbit	
	antiserum by affinity-chromatography using	
	epitope-specific immunogen.	
Clonality	Polyclonal	
Concentration	1 mg/ml	
Observed band	50kD	
Human Gene ID	861	
Human Swiss-Prot Number	Q01196	
Alternative Names	RUNX1; AML1; CBFA2; Runt-related transcription	
	factor 1; Acute myeloid leukemia 1 protein;	
	Core-binding factor subunit alpha-2; CBF-alpha-2;	JUL
	Oncogene AML-1; Polyomavirus enhancer-binding	
	protein 2 alpha B subunit; PEA2-alpha B;	
	PEBP2-alpha	



+86-27-59760950

ELKbio@ELKbiotech.com

www.elkbiotech.com


23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C




Background

Core binding factor (CBF) is a heterodimeric transcription factor that binds to the core element of many enhancers and promoters. The protein encoded by this gene represents the alpha subunit of CBF and is thought to be involved in the development of normal hematopoiesis. Chromosomal translocations involving this gene are well-documented and have been associated with several types of leukemia. Three transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Jul 2008],

Immunofluorescence analysis of HeLa cells, using AML1 Antibody. The picture on the right is blocked with the synthesized peptide.



Immunohistochemistry analysis of paraffin-embedded human lung carcinoma tissue, using AML1 Antibody. The picture on the right is blocked with the synthesized peptide.






+86-27-59760950

ELKbio@ELKbiotech.com

www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C



Western blot analysis of lysates from Jurkat cells, using AML1 Antibody. The lane on the right is blocked with the synthesized peptide.



+86-27-59760950

ELKbio@ELKbiotech.com

www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C