

Cdc25A (phospho Ser124) rabbit pAb

Cat No.:ES8128

For research use only

Overview

Product Name	Cdc25A (phospho Ser124) rabbit pAb
Host species	Rabbit
Applications	WB;ELISA
Species Cross-Reactivity	Human;Mouse;Rat
Recommended dilutions	Western Blot: 1/500 - 1/2000. ELISA: 1/5000. Not
	yet tested in other applications.
Immunogen	The antiserum was produced against synthesized
	peptide derived from human CDC25A around the
	phosphorylation site of Ser124. AA range:90-139
Specificity	Phospho-Cdc25A (S124) Polyclonal Antibody detects
opeenery	endogenous levels of Cdc25A protein only when
	phosphorylated at \$124.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and
l'officiation	0.02% sodium azide.
Storage	Store at -20°C. Avoid repeated freeze-thaw cycles.
Protein Name	M-phase inducer phosphatase 1
Gene Name	CDC25A
Cellular localization	intracellular, nucleus, nucleoplasm, cytoplasm, cytosol,
Purification	The antibody was affinity-purified from rabbit
Furnication	antiserum by affinity-chromatography using
Clonality	epitope-specific immunogen. Polyclonal
Clonality Concentration	•
Observed band	1 mg/ml 70kD
Human Gene ID	-
Human Gene ID Human Swiss-Prot Number	993
	P30304
Alternative Names	CDC25A; M-phase inducer phosphatase 1; Dual
De alcono en d	specificity phosphatase Cdc25A
Background	cell division cycle 25A(CDC25A) Homo sapiens
	CDC25A is a member of the CDC25 family of
	phosphatases. CDC25A is required for progression
	from G1 to the S phase of the cell cycle. It activates
	the cyclin-dependent kinase CDC2 by removing two



+86-27-59760950

ELKbio@ELKbiotech.com


www.elkbiotech.com


23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C




phosphate groups. CDC25A is specifically degraded in response to DNA damage, which prevents cells with chromosomal abnormalities from progressing through cell division. CDC25A is an oncogene, although its exact role in oncogenesis has not been demonstrated. Two transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Jul 2008],

Western Blot analysis of 293 cells using Phospho-Cdc25A (S124) Polyclonal Antibody





OD 450nm Reading



Enzyme-Linked Immunosorbent Assay (Phospho-ELISA) for Immunogen Phosphopeptide (Phospho-left) and Non-Phosphopeptide (Phospho-right), using CDC25A (Phospho-Ser124) Antibody

Western blot analysis of lysates from 293 cells treated with UV 15', using CDC25A (Phospho-Ser124) Antibody. The lane on the right is blocked with the phospho peptide.



+86-27-59760950

ELKbio@ELKbiotech.com

www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C