

MBL-C rabbit pAb

Cat No.:ES8538

For research use only

Overview

Product Name MBL-C rabbit pAb

Host species Rabbit
Applications WB;IHC

Species Cross-Reactivity Human; Mouse

Recommended dilutions WB 1:500-2000;IHC-p 1:50-300

Immunogen Synthetic peptide from human protein at AA range:

21-70

Specificity The antibody detects endogenous MBL-C protein **Formulation** Liquid in PBS containing 50% glycerol, 0.5% BSA and

0.02% sodium azide.

Storage Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name mannose-binding lectin (protein C) 2, soluble

(opsonic defect)

Gene Name MBL2 COLEC1 MBL

Cellular localization Secreted.

Purification The antibody was affinity-purified from rabbit

antiserum by affinity-chromatography using

epitope-specific immunogen.

Clonality Polyclonal
Concentration 1 mg/ml
Observed band 27kD
Human Gene ID 4153
Human Swiss-Prot Number P11226

Alternative Names MBL2 COLEC1 MBL

Background This gene encodes the soluble mannose-binding

lectin or mannose-binding protein found in serum.
The protein encoded belongs to the collectin family and is an important element in the innate immune system. The protein recognizes mannose and

N-acetylglucosamine on many microorganisms, and is capable of activating the classical complement pathway. Deficiencies of this gene have been associated with susceptibility to autoimmune and




+86-27-59760950 ELKbio@ELKbiotech.com

www.elkbiotech.com



infectious diseases. [provided by RefSeq, Jul 2008],

Western Blot analysis of mouse-kidney cells using Antibody diluted at 500. Secondary antibody(catalog#:RS0002) was diluted at 1:20000



Immunohistochemical analysis of paraffin-embedded human-liver, antibody was diluted at 1:200




Immunohistochemical analysis of paraffin-embedded human-liver, antibody was diluted at 1:200



+86-27-59760950





Immunohistochemical analysis of paraffin-embedded human-brain, antibody was diluted at 1:200



+86-27-59760950