

GSTA1 rabbit pAb

Cat No.:ES8739

For research use only

Overview

Product Name	GSTA1 rabbit pAb
Host species	Rabbit
Applications	WB;IP;IHC;IF;ELISA
Species Cross-Reactivity	Human;Rat;Mouse;
Recommended dilutions	IHC-p 1:50-200, ELISA 1:10000-20000
Immunogen	The antiserum was produced against synthesized
	peptide derived from the Internal region of human
	GSTA1. AA range:91-140
Specificity	The antibody detects endogenous GSTA1
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and
	0.02% sodium azide.
Storage	Store at -20°C. Avoid repeated freeze-thaw cycles.
Protein Name	Glutathione S-transferase A1 (EC 2.5.1.18) (GST HA
	subunit 1) (GST class-alpha member 1) (GST-epsilon)
	(GSTA1-1) (GTH1)
Gene Name	GSTA1
Cellular localization	Cytoplasm.
Purification	The antibody was affinity-purified from rabbit
	antiserum by affinity-chromatography using
	epitope-specific immunogen.
Clonality	Polyclonal
Concentration	1 mg/ml
Observed band	
Human Gene ID	2938
Human Swiss-Prot Number	P08263
Alternative Names	Glutathione S-transferase A1 (EC 2.5.1.18;GST HA
	subunit 1;GST class-alpha member
	1;GST-epsilon;GSTA1-1;GTH1)
Background	This gene encodes a member of a family of enzymes
	that function to add glutathione to target
	electrophilic compounds, including carcinogens,
	therapeutic drugs, environmental toxins, and
	products of oxidative stress. This action is an



+86-27-59760950

ELKbio@ELKbiotech.com

www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C



important step in detoxification of these compounds. This subfamily of enzymes has a particular role in protecting cells from reactive oxygen species and the products of peroxidation. Polymorphisms in this gene influence the ability of individuals to metabolize different drugs. This gene is located in a cluster of similar genes and pseudogenes on chromosome 6. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Jan 2016],

Immunohistochemical analysis of paraffin-embedded human-liver, antibody was diluted at 1:200





+86-27-59760950

ELKbio@ELKbiotech.com

www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C