

ST2 rabbit pAb

Cat No.: ES8750

For research use only

Overview

Product Name ST2 rabbit pAb

Host species Rabbit

Applications WB;IHC;IF;ELISA Species Cross-Reactivity Human;Rat;Mouse;

Recommended dilutions Western Blot: 1/500 - 1/2000.

Immunohistochemistry: 1/100 - 1/300. Immunofluorescence: 1/200 - 1/1000. ELISA: 1/20000. Not yet tested in other applications.

Immunogen Synthetic peptide from human protein at AA range:

251-300

Specificity The antibody detects endogenous ST2

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and

0.02% sodium azide.

Storage Store at -20° C. Avoid repeated freeze-thaw cycles.

Protein Name Interleukin-1 receptor-like 1 (Protein ST2)

Gene Name IL1RL1 DER4 ST2 T1

Cellular localization [Isoform C]: Cell membrane.; [Isoform B]: Secreted.;

Cell membrane; Single-pass type I membrane

protein.

Purification The antibody was affinity-purified from rabbit

antiserum by affinity-chromatography using

epitope-specific immunogen.

ClonalityPolyclonalConcentration1 mg/ml

Observed band

Human Gene ID 9173 Human Swiss-Prot Number Q01638

Alternative Names Interleukin-1 receptor-like 1 (Protein ST2)

Background The protein encoded by this gene is a member of

the interleukin 1 receptor family. Studies of the similar gene in mouse suggested that this receptor can be induced by proinflammatory stimuli, and may be involved in the function of helper T cells. This

www.elkbiotech.com



+86-27-59760950 ELKbio@ELKbiotech.com



gene, interleukin 1 receptor, type I (IL1R1), interleukin 1 receptor, type II (IL1R2) and interleukin 1 receptor-like 2 (IL1RL2) form a cytokine receptor gene cluster in a region mapped to chromosome 2q12. Alternative splicing of this gene results in multiple transcript variants. [provided by RefSeq, Jul 2008],



+86-27-59760950