

Ub rabbit pAb

Cat No.: ES8753

For research use only

Overview

Product Name Ub rabbit pAb

Host species Rabbit

Applications IHC;IF;ELISA

Species Cross-Reactivity Human; Mouse; Rat

Recommended dilutions IHC-p 1:50-200, ELISA 1:10000-20000

Immunogen Synthetic peptide from human protein at AA range:

1-50

Specificity The antibody detects endogenous Ub

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and

0.02% sodium azide.

Storage Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name Polyubiquitin-B [Cleaved into: Ubiquitin]

Gene Name ub

Cellular localization [Ubiquitin]: Cytoplasm . Nucleus . Mitochondrion

outer membrane; Peripheral membrane protein.

Purification The antibody was affinity-purified from rabbit

antiserum by affinity-chromatography using

epitope-specific immunogen.

Clonality Polyclonal Concentration 1 mg/ml

Observed band

Human Gene ID 7314

Human Swiss-Prot Number

Alternative Names

Background

P0CG47/P0CG48/P62979/P62987

This gene encodes ubiquitin, one of the most conserved proteins known. Ubiquitin has a major role in targeting cellular proteins for degradation by the 26S proteosome. It is also involved in the

maintenance of chromatin structure, the regulation

of gene expression, and the stress response.
Ubiquitin is synthesized as a precursor protein
consisting of either polyubiquitin chains or a single
ubiquitin moiety fused to an unrelated protein. This









gene consists of three direct repeats of the ubiquitin coding sequence with no spacer sequence. Consequently, the protein is expressed as a polyubiquitin precursor with a final amino acid after the last repeat. An aberrant form of this protein has been detected in patients with Alzheimer's disease and Down syndrome. Pseudogenes of this gene are located on chromosomes 1, 2, 13, and 17. Alternative splicing results in multiple transcript variants. [provided by RefSeq

Immunohistochemical analysis of paraffin-embedded human-placenta, antibody was diluted at 1:200



Immunohistochemical analysis of paraffin-embedded human-placenta, antibody was diluted at 1:200



+86-27-59760950

