

DNM3A rabbit pAb

Cat No.:ES9112

For research use only

Overview

Product Name DNM3A rabbit pAb

Host species Rabbit
Applications WB;ELISA

Species Cross-Reactivity Human; Mouse; Rat

Recommended dilutions WB 1:500-2000 ELISA 1:5000-20000

Immunogen Synthesized peptide derived from human protein . at

AA range: 10-90

Specificity DNM3A Polyclonal Antibody detects endogenous

levels of protein.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and

0.02% sodium azide.

 $\begin{array}{ll} \textbf{Storage} & \textbf{Store at -20 }^{\circ}\text{C} \text{ . Avoid repeated freeze-thaw cycles.} \\ \textbf{Protein Name} & \textbf{DNA (cytosine-5)-methyltransferase 3A (Dnmt3a)} \\ \end{array}$

(EC 2.1.1.37) (DNA methyltransferase HsallIA) (DNA

MTase HsallIA) (M.HsallIA)

Gene Name DNMT3A

Cellular localization Nucleus . Chromosome . Cytoplasm . Accumulates in

the major satellite repeats at pericentric

heterochromatin. .

Purification The antibody was affinity-purified from rabbit

antiserum by affinity-chromatography using

epitope-specific immunogen.

Clonality Polyclonal
Concentration 1 mg/ml
Observed band 100kD
Human Gene ID 1788
Human Swiss-Prot Number O9Y6K1

Alternative Names

Background CpG methylation is an epigenetic modification that is

important for embryonic development, imprinting, and X-chromosome inactivation. Studies in mice have demonstrated that DNA methylation is required for mammalian development. This gene



+86-27-59760950 ELKbio@ELKbiotech.com

www.elkbiotech.com



encodes a DNA methyltransferase that is thought to function in de novo methylation, rather than maintenance methylation. The protein localizes to the cytoplasm and nucleus and its expression is developmentally regulated. [provided by RefSeq, Mar 2016],



+86-27-59760950