

## KRT37 rabbit pAb

## Cat No.:ES9194

For research use only

## Overview

| Product Name             | KRT37 rabbit pAb   |
|--------------------------|--|
| Host species             | Rabbit   |
| Applications             | WB;ELISA   |
| Species Cross-Reactivity | Human;Rat;Mouse;   |
| Recommended dilutions    | WB 1:500-2000 ELISA 1:5000-20000                                       |
| Immunogen                | Synthesized peptide derived from human protein . at                    |
|                          | AA range: 310-390  |
| Specificity              | KRT37 Polyclonal Antibody detects endogenous                           |
|                          | levels of protein.   |
| Formulation              | Liquid in PBS containing 50% glycerol, 0.5% BSA and                    |
|                          | 0.02% sodium azide.  |
| Storage                  | Store at -20 $^\circ\!\mathbb{C}$ . Avoid repeated freeze-thaw cycles. |
| Protein Name             | Keratin, type I cuticular Ha7 (Hair keratin, type I Ha7)               |
|                          | (Keratin-37) (K37)   |
| Gene Name                | KRT37 HHA7 HKA7 KRTHA7   |
| Cellular localization    | intermediate filament, extracellular exosome,                          |
| Purification             | The antibody was affinity-purified from rabbit                         |
|                          | antiserum by affinity-chromatography using                             |
|                          | epitope-specific immunogen.  |
| Clonality                | Polyclonal   |
| Concentration            | 1 mg/ml  |
| Observed band            | 49kD   |
| Human Gene ID            | 8688   |
| Human Swiss-Prot Number  | 076014   |
| Alternative Names        |  |
| Background               | The protein encoded by this gene is a member of                        |
|                          | the keratin gene family. As a type I hair keratin, it is               |
|                          | an acidic protein which heterodimerizes with type II                   |
|                          | keratins to form hair and nails. The type I hair                       |
|                          | keratins are clustered in a region of chromosome                       |
|                          | 17q12-q21 and have the same direction of                               |
|                          | transcription. [provided by RefSeq, Jul 2008],                         |
|                          |  |



+86-27-59760950

ELKbio@ELKbiotech.com

www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C