

NDUS2 rabbit pAb

Cat No.: ES9878

For research use only

Overview

Product Name NDUS2 rabbit pAb

Host species Rabbit
Applications WB;ELISA

Species Cross-Reactivity Human;Rat;Mouse

Recommended dilutions WB 1:500-2000 ELISA 1:5000-20000

Immunogen Synthesized peptide derived from human protein . at

AA range: 160-240

Specificity NDUS2 Polyclonal Antibody detects endogenous

levels of protein.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and

0.02% sodium azide.

Storage Store at -20 °C. Avoid repeated freeze-thaw cycles.

Protein Name NADH dehydrogenase [ubiquinone] iron-sulfur

protein 2 mitochondrial (FC 1 6 5 3) (FC 1 6 99 3)

protein 2, mitochondrial (EC 1.6.5.3) (EC 1.6.99.3) (Complex I-49kD) (CI-49kD) (NADH-ubiquinone

oxidoreductase 49 kDa subunit)

Gene Name NDUFS2

Cellular localization Mitochondrion inner membrane; Peripheral

membrane protein; Matrix side.

Purification The antibody was affinity-purified from rabbit

antiserum by affinity-chromatography using

epitope-specific immunogen.

Clonality Polyclonal
Concentration 1 mg/ml
Observed band 50kD
Human Gene ID 4720
Human Swiss-Prot Number 075306

Alternative Names

Background The protein encoded by this gene is a core subunit

of the mitochondrial membrane respiratory chain NADH dehydrogenase (complex I). Mammalian mitochondrial complex I is composed of at least 43 different subunits, 7 of which are encoded by the



+86-27-59760950 ELKbio@ELKbiotech.com

www.elkbiotech.com



mitochondrial genome, and the rest are the products of nuclear genes. The iron-sulfur protein fraction of complex I is made up of 7 subunits, including this gene product. Complex I catalyzes the NADH oxidation with concomitant ubiquinone reduction and proton ejection out of the mitochondria. Mutations in this gene are associated with mitochondrial complex I deficiency. Alternatively spliced transcript variants encoding different isoforms have been found for this gene.[provided by RefSeq, Oct 2009],



+86-27-59760950