

## WIT1 Polyclona Antibody

Cat No.: ES12295

For research use only

## Overview

Product Name WIT1 Polyclona Antibody

Host species Rabbit

Applications WB;IHC;IF;ELISA Species Cross-Reactivity Human;Rat;Mouse;

**Recommended dilutions** Western Blot: 1/500 - 1/2000.

Immunohistochemistry: 1/100 - 1/300. ELISA: 1/10000. Not yet tested in other applications.

Immunogen Synthesized peptide derived from human WIT1 AA

range: 20-100

**Specificity** This antibody detects endogenous levels of human

WIT1

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and

0.02% sodium azide.

**Storage** Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name WIT1

Gene Name WT1-AS WIT1

**Cellular localization** 

**Purification** The antibody was affinity-purified from rabbit

antiserum by affinity-chromatography using

epitope-specific immunogen.

Clonality Polyclonal Concentration 1 mg/ml

Observed band Human Gene ID

Human Swiss-Prot Number Q06250

Alternative Names Putative Wilms tumor upstream neighbor 1 gene

protein (WIT-1; Wilms tumor-associated antisense

RNA)

Background This gene is located upstream of the Wilms tumor 1

(WT1) gene; these two genes are bi-directionally transcribed from the same promoter region. This gene is imprinted in kidney, with preferential expression from the paternal allele. Imprinting



+86-27-59760950 ELKbio@ELKbiotech.com www.elkbiote





defects at chromosome 11p13 may contribute to tumorigenesis. [provided by RefSeq, May 2014],

Immunohistochemical analysis of paraffin-embedded human tonsil. 1, Antibody was diluted at 1:200(4° overnight). 2, Tris-EDTA,pH9.0 was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200(room temperature, 30min).



+86-27-59760950