

CMIP rabbit pAb

Cat No.:ES17366

For research use only

Overview

Product Name	CMIP rabbit pAb
Host species	Rabbit
Applications	WB
Species Cross-Reactivity	Human; Mouse
Recommended dilutions	WB 1:500-2000
Immunogen	Synthesized peptide derived from human CMIP AA
	range: 105-155
Specificity	This antibody detects endogenous levels of CMIP at
	Human/Mouse
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and
	0.02% sodium azide.
Storage	Store at -20°C. Avoid repeated freeze-thaw cycles.
Protein Name	CMIP
Gene Name	CMIP KIAA1694 TCMIP
Cellular localization	Nucleus . Cytoplasm . Isoform 2 is translocated to
	the nucleus and is specifically recruited during
	minimal change nephrotic syndrome (MCNS)
	(PubMed:12939343) (PubMed:15616553). Detected
	in nuclear and cytoplasmic compartments during
	MCNS relapse (PubMed:
Purification	The antibody was affinity-purified from rabbit
	antiserum by affinity-chromatography using
	epitope-specific immunogen.
Clonality	Polyclonal
Concentration	1 mg/ml
Observed band	85kD
Human Gene ID	80790
Human Swiss-Prot Number	Q8IY22
Alternative Names	C-Maf-inducing protein (c-Mip) (Truncated
	c-Maf-inducing protein) (Tc-Mip)
Background	This gene encodes a c-Maf inducing protein that
	plays a role in T-cell signaling pathway. Alternatively
	spliced transcript variants encoding different



+86-27-59760950

ELKbio@ELKbiotech.com

www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C



1 kDa 140 ---100 ---75 ---60 ---45 ---35 ---25 ---15 ---10 --- isoforms have been described for this gene. [provided by RefSeq, Aug 2011],

Western blot analysis of lysates from VEC cells, primary antibody was diluted at 1:1000, 4° over night



+86-27-59760950

ELKbio@ELKbiotech.com

www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C