

Olfactory receptor 52A1 rabbit pAb

Cat No.: ES3051

For research use only

Overview

Product Name Olfactory receptor 52A1 rabbit pAb

Host species Rabbit
Applications WB;IF;ELISA

Species Cross-Reactivity Human; Rat; Mouse;

Recommended dilutions Western Blot: 1/500 - 1/2000. Immunofluorescence:

1/200 - 1/1000. ELISA: 1/10000. Not yet tested in

other applications.

Immunogen The antiserum was produced against synthesized

peptide derived from human OR52A1. AA

range:20-69

Specificity Olfactory receptor 52A1 Polyclonal Antibody detects

endogenous levels of Olfactory receptor 52A1

protein.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and

0.02% sodium azide.

Storage Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name Olfactory receptor 52A1

Gene Name OR52A1

Cellular localizationCell membrane; Multi-pass membrane protein.PurificationThe antibody was affinity-purified from rabbit
antiserum by affinity-chromatography using

epitope-specific immunogen.

Clonality Polyclonal
Concentration 1 mg/ml
Observed band 35kD
Human Gene ID 23538
Human Swiss-Prot Number O9UKL2

Alternative Names OR52A1; Olfactory receptor 52A1; HPFH1OR;

Odorant receptor HOR3'beta4; Olfactory receptor

OR11-319

Background Olfactory receptors interact with odorant molecules

in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory





receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. [provided by RefSeq, Jul 2008],


HeLa (kD) 117-85-48-34-26Western Blot analysis of various cells using Olfactory receptor 52A1 Polyclonal Antibody




Immunofluorescence analysis of MCF7 cells, using OR52A1 Antibody. The picture on the right is blocked with the synthesized peptide.







Western blot analysis of lysates from HeLa, Jurkat, and HepG2 cells, using OR52A1 Antibody. The lane on the right is blocked with the synthesized peptide.



+86-27-59760950

Western blot analysis of the lysates from HeLa cells using OR52A1 antibody.

