

Olfactory receptor 9Q2 rabbit pAb

Cat No.: ES3077

For research use only

Overview

Product Name Olfactory receptor 9Q2 rabbit pAb

Host species Rabbit WB;IF;ELISA **Applications**

Species Cross-Reactivity Human; Rat; Mouse;

Recommended dilutions Western Blot: 1/500 - 1/2000. Immunofluorescence:

1/200 - 1/1000. ELISA: 1/20000. Not yet tested in

other applications.

The antiserum was produced against synthesized **Immunogen**

peptide derived from human OR9Q2. AA

range:232-281

Specificity Olfactory receptor 9Q2 Polyclonal Antibody detects

endogenous levels of Olfactory receptor 9Q2

protein.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and

0.02% sodium azide.

Store at -20°C. Avoid repeated freeze-thaw cycles. **Storage**

Olfactory receptor 9Q2 **Protein Name**

Gene Name OR9Q2

Cellular localization Cell membrane; Multi-pass membrane protein. Purification The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using

epitope-specific immunogen.

Clonality Polyclonal Concentration 1 mg/ml **Observed band** 38kD **Human Gene ID** 219957 **Human Swiss-Prot Number Q8NGE9**

Alternative Names OR9Q2; OR9Q2P; Olfactory receptor 9Q2

Background olfactory receptor family 9 subfamily Q member


2(OR9Q2) Homo sapiens Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor




+86-27-59760950 ELKbio@ELKbiotech.com



proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. [provided by RefSeq, Jul 2008],




Western Blot analysis of various cells using Olfactory receptor 9Q2 Polyclonal Antibody



Western blot analysis of lysates from HeLa and HT-29 cells, using OR9Q2 Antibody. The lane on the right is blocked with the synthesized peptide.







Western blot analysis of the lysates from HepG2 cells using OR9Q2 antibody.

