

p70 S6 kinase β rabbit pAb

Cat No.:ES3139

For research use only

Overview

Product Name	p70 S6 kinase β rabbit pAb
Host species	Rabbit
Applications	WB;IHC;IF;ELISA
Species Cross-Reactivity	Human;Mouse
Recommended dilutions	Western Blot: 1/500 - 1/2000.
	Immunohistochemistry: 1/100 - 1/300. ELISA:
	1/5000. Not yet tested in other applications.
Immunogen	The antiserum was produced against synthesized
	peptide derived from human p70 S6 Kinase beta. AA
	range:389-438
Specificity	p70 S6 kinase β Polyclonal Antibody detects
	endogenous levels of p70 S6 kinase β protein.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and
	0.02% sodium azide.
Storage	Store at -20°C. Avoid repeated freeze-thaw cycles.
Protein Name	Ribosomal protein S6 kinase beta-2
Gene Name	RPS6KB2
Cellular localization	Cytoplasm. Nucleus.
Purification	The antibody was affinity-purified from rabbit
	antiserum by affinity-chromatography using
	epitope-specific immunogen.
Clonality	Polyclonal
Concentration	1 mg/ml
Observed band	42kD
Human Gene ID	6199
Human Swiss-Prot Number	Q9UBS0
Alternative Names	RPS6KB2; STK14B; Ribosomal protein S6 kinase
	beta-2; S6K-beta-2; S6K2; 70 kDa ribosomal protein
	S6 kinase 2; P70S6K2; p70-S6K 2; S6 kinase-related
	kinase; SRK; Serine/threonine-protein kinase 14B;
	p70 ribosomal S6 kinase beta; S6K-beta; p70
Background	ribosomal protein S6 kinase B2(RPS6KB2) Homo
	sapiens This gene encodes a member of the RSK



+86-27-59760950


ELKbio@ELKbiotech.com

www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C



(ribosomal S6 kinase) family of serine/threonine kinases. This kinase contains a kinase catalytic domain and phosphorylates the S6 ribosomal protein and eukaryotic translation initiation factor 4B (eIF4B). Phosphorylation of S6 leads to an increase in protein synthesis and cell proliferation. [provided by RefSeq, Jan 2015],



Western Blot analysis of various cells using p70 S6 kinase β Polyclonal Antibody

Western Blot analysis of 293 cells using p70 S6 kinase β Polyclonal Antibody

Western blot analysis of lysates from 293 cells, using p70 S6 Kinase beta Antibody. The lane on the right is blocked with the synthesized peptide.




+86-27-59760950

ELKbio@ELKbiotech.com

www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C





+86-27-59760950

ELKbio@ELKbiotech.com

www.elkbiotech.com

23-2, No.388 Gaoxin 2nd Road, Wuhan East Lake Hi-tech Development Zone, Hubei , P.R.C