

## TIGD3 rabbit pAb

Cat No.: ES3608

For research use only

## Overview

Product Name TIGD3 rabbit pAb

Host species Rabbit

Applications WB;IHC;IF;ELISA Species Cross-Reactivity Human;Rat;Mouse;

**Recommended dilutions** Western Blot: 1/500 - 1/2000.

Immunohistochemistry: 1/100 - 1/300. ELISA: 1/40000. Not yet tested in other applications.

Immunogen The antiserum was produced against synthesized

peptide derived from human TIGD3. AA

range:381-430

**Specificity** TIGD3 Polyclonal Antibody detects endogenous

levels of TIGD3 protein.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and

0.02% sodium azide.

Storage Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name Tigger transposable element-derived protein 3

**Gene Name** TIGD3 **Cellular localization** Nucleus .

**Purification** The antibody was affinity-purified from rabbit

antiserum by affinity-chromatography using

epitope-specific immunogen.

ClonalityPolyclonalConcentration1 mg/mlObserved band55kDHuman Gene ID220359Human Swiss-Prot NumberQ6B0B8

Alternative Names TIGD3; Tigger transposable element-derived protein

3

Background The protein encoded by this gene belongs to the


tigger subfamily of the pogo superfamily of DNA-mediated transposons in humans. These proteins are related to DNA transposons found in fungi and nematodes, and more distantly to the Tc1




+86-27-59760950 ELKbio@ELKbiotech.com



and mariner transposases. They are also very similar to the major mammalian centromere protein B. The exact function of this gene is not known. [provided by RefSeq, Jul 2008],



Western Blot analysis of various cells using TIGD3
Polyclonal Antibody. Secondary
antibody(catalog#:RS0002) was diluted at 1:20000 cells
nucleus extracted by Minute TM Cytoplasmic and Nuclear
Fractionation kit (SC-003,Inventbiotech,MN,USA).



Western blot analysis of TIGD3 Antibody. The lane on the right is blocked with the TIGD3 peptide.

Immunohistochemistryt analysis of paraffin-embedded human brain, using TIGD3 Antibody. The lane on the right is blocked with the TIGD3 peptide.

