

## MCAD rabbit pAb

Cat No.: ES3754

For research use only

## Overview

Product Name MCAD rabbit pAb

Host species Rabbit
Applications WB;IHC

Species Cross-Reactivity Human; Mouse; Rat

Recommended dilutions WB 1:500-2000;IHC-p 1:50-300

Immunogen The antiserum was produced against synthesized

peptide derived from human MCAD. AA

range:134-183

**Specificity** MCAD Polyclonal Antibody detects endogenous

levels of MCAD protein.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and

0.02% sodium azide.

Storage Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name Medium-chain specific acyl-CoA dehydrogenase

mitochondrial

Gene Name ACADM

**Cellular localization** Mitochondrion matrix .

Purification The antibody was affinity-purified from rabbit

antiserum by affinity-chromatography using

epitope-specific immunogen.

Clonality Polyclonal
Concentration 1 mg/ml
Observed band 46kD
Human Gene ID 34
Human Swiss-Prot Number P11310

Alternative Names ACADM; Medium-chain specific acyl-CoA

dehydrogenase, mitochondrial; MCAD

Background This gene encodes the medium-chain specific (C4 to

C12 straight chain) acyl-Coenzyme A

dehydrogenase. The homotetramer enzyme

catalyzes the initial step of the mitochondrial fatty acid beta-oxidation pathway. Defects in this gene cause medium-chain acyl-CoA dehydrogenase







39

27

deficiency, a disease characterized by hepatic dysfunction, fasting hypoglycemia, and encephalopathy, which can result in infantile death. Alternatively spliced transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Jul 2008],





Western blot analysis of lysates from HeLa cells, using MCAD antibody.



+86-27-59760950

Immunohistochemical analysis of paraffin-embedded human uterus. 1, Antibody was diluted at 1:200(4° overnight). 2, Tris-EDTA,pH9.0 was used for antigen retrieval. 3,Secondary antibody was diluted at 1:200(room temperature, 45min).

